

TRICARE Management Activity

Protected Health Information Management Tool (PHIMT)

Training Reference: Regular User Manual Version 1.0

Prepared By: Booz Allen Hamilton This page lists all of the changes that have been made to the PHIMT Regular User Manual throughout its development.

Version	Release Date	Summary of Changes

TABLE OF CONTENTS

1.0	INTRODUCTION TO PHIMT	
1.1	PHIMT REQUIREMENTS	1
1.	1.1 SYSTEM REQUIREMENTS	
1.	1.2 BROWSER REQUIREMENTS	
	1.3 PLUG-INS	
2.0	GETTING STARTED	2
2.1	USER DEFINITIONS AND ROLES	2
	1.1 PHIMT ROLES AND PERMISSIONS	3
2.	1.2 REGULAR USER ROLE	
3.0	ACCESSING AND USING PHIMT	
4.0	REGULAR USER TABS	
4.1	USER TAB	
4.2	PATIENT TAB	
4.3	REQUESTS TAB	
4.4	REQUESTER TAB	
5.0	UNDERSTANDING PHIMT SCREENS	
5.1	SCREEN FEATURES	
	1.1 DATE	
	1.2 NAVIGATIONAL OPTIONS	
	1.3 STATUS BOX	
	1.4 ACTIVITY HYPERLINKS	
	1.5 PHIMT SCREEN TABS	
	1.6 SCREEN TITLE	9
	1.7 DISPLAY SCREEN/APPLICATION WINDOW	
	PHIMT ERROR MESSAGES	
6.0	USER TAB ACTIVITIES	
6.1	MY PROFILE	
6.2	MY REQUESTS	
6.3	MY WORKLIST	
6.4	SWITCH ORGANIZATIONS	
7.0	PATIENT TAB ACTIVITIES	
7.1	PATIENT SEARCH	
7.2	ADD A PATIENT RECORD	
7.3	CREATE AN ALTERNATIVE PHONE NUMBER	
8.0	REQUESTS TAB ACTIVITIES	
8.1	RECORD A DISCLOSURE REQUEST	
8.1.1		
8.2	RECORD AN ACCOUNTING OF DISCLOSURES REQUEST	
9.0	REQUESTER TAB ACTIVITIES	
9.1	REQUESTER SEARCH	
9.2	REQUESTER REQUESTS	
9.3	REQUESTER PROFILE	
9.4	REQUESTER SUMMARY	
10.0	REGULAR USERS GLOSSARY	
11.0	PHIMT REGULAR USER ROLE PERMISSIONS	44

1.0 INTRODUCTION TO PHIMT

The Privacy Rule of the Health Insurance Portability and Accountability Act (HIPAA) of 1996 requires a covered entity, (i.e., the Military Health System (MHS)) to maintain a history of when and to whom disclosures of Protected Health Information (PHI) are made for purposes other than treatment, payment and healthcare operations (TPO). The MHS must be able to provide an accounting of those disclosures to an individual upon request. Authorizations and Restrictions from an individual to a covered entity are included in the information that is required for tracking purposes.

To comply with the requirements for disclosures, TRICARE Management Activity (TMA) is providing an electronic disclosure-tracking tool. The Protected Health Information Management Tool (PHIMT) stores information about all disclosures, authorizations, and restrictions that are made for a particular patient. PHIMT has a functionality built into it that can provide an accounting of disclosures, if necessary.

The MTF should have knowledge of DoD 6025.18-R, Health Information Privacy Regulation. A MTF must provide an accounting of disclosures within 60 days of the request. If the covered entity cannot honor an accounting of disclosures within the 60-day period, it must provide information to the requestor as to the reason for the delay and expected completion date. The covered entity may extend the time to provide the accounting by no more than 30 days. Only one extension is permitted per request.

1.1 PHIMT Requirements

Before using PHIMT it is necessary to understand and ensure the operating requirements are met. PHIMT has specific requirements for the operating system, browser, and plug-ins.

1.1.1 System Requirements

Using PHIMT requires a Microsoft Windows application: Windows XP (home, professional); Windows 2000 (standard, professional, advanced); or Windows 98.

<u>NOTE</u>: Windows NT does work with PHIMT in most cases, but some limitations may exist. Therefore, Windows NT is not supported for use with PHIMT.

1.1.2 Browser Requirements

PHIMT requires the use of Microsoft Internet Explorer, version 6.0 or above.

<u>NOTE</u>: Cookies and JavaScript should be enabled (these items are enabled in a default browser installation)

1.1.3 Plug-Ins

PHIMT requires the use of Adobe Acrobat, version 6.0 or above. The application will also work with version 5.0 but the latest version is recommended.

<u>NOTE</u>: To display the generated letters and reports in the browser, the Adobe Acrobat Plug-in is required. This is normally installed with Adobe Acrobat Reader. Download Adobe Acrobat for free at http://www.adobe.com.

2.0 GETTING STARTED

In PHIMT, the Regular User is considered to be a general user role with basic functionality. This individual is responsible for performing various disclosure activities such as creating disclosures and authorization requests that can be routed to a Privacy Specialist.

2.1 User Definitions And Roles

Each User is assigned to one or more organizations. An organization is a logical or physical entity such as an MTF, a Service or TMA.

- Within an organization, each user can have one or more roles.
- A user can have the same roles in multiple organizations, or different roles in multiple organizations.
- Roles are inherited down the permission levels

A Role is a named collection of permissions. Roles allow Users with the same permissions to be grouped under a unique name. PHIMT roles include: Regular User, User Admin, Privacy Specialist, and Tool Admin.

- A **Regular User** is a general role with basic functionality. This role can create disclosures and authorization requests that can be routed on to a Privacy Specialist.
- A **User Admin** is a local administrator for an MTF or a designated Service. This role allows one to add/modify users from within their Service and assigns roles.
- A **Privacy Specialist** is the Privacy Officer or designee at an MTF or Service level. This role allows the User to maintain disclosure reporting, approve/deny disclosure requests, amend requests, and restrict and suspend disclosures.
- A **Tool Administrator** has global access to the application and will be maintained by the HIPAA Support Center. This role allows the User to configure roles within MTFs, and create permissions within the application.

<u>NOTE</u>: Your particular user role will determine the PHIMT activities you are authorized to perform. For example, as a Regular User, you can perform only those activities listed on the User, Patient, Requests, and Requester tabs. Different user roles are authorized to access different tabs.

2.1.1 PHIMT Roles and Permissions

PHIMT roles and permissions are based on status-level relationships within service groups. These service groups consist of the Army, Navy, Air Force, and Coast Guard. Anyone in a given service group can be granted access to information required for them to perform their duties. Specific roles have corresponding permissions that determine who will have access to what. Individuals within PHIMT roles have access to information required for job performance as well as access to information accessible to those roles with fewer permissions. No individual will be granted access to information needed to perform duties that require a higher set of permissions. Those in roles with the highest levels of permissions will have access to all information within their service group. No individual within any service group will be granted access to information in a service group other than their own.

For example, TMA and Support, Group A the top tier, occupies those roles with the highest levels of permissions. These individuals are granted access to all information within their Service Group. Those individuals in the Service Groups who occupy roles requiring a lower level of permissions, Group B the second tier, do not have access to the information accessible to those in the top tier. However, Group B does have access to the information in tier C, comprised of roles requiring even lower permission levels. The third tier, Group C, is comprised of offices and command centers within the service groups. This tier can only access information necessary for them to complete their responsibilities. They do not have access to information within the higher tiers. There is absolutely no viewing of another's information outside of your own service group.

2.1.2 Regular User Role


In PHIMT, the Regular User can create disclosure and authorization requests that can later be routed to a Privacy Specialist. They can review patient profiles, record accounting of disclosures, and revoke authorizations.

3.0 ACCESSING AND USING PHIMT

Now that you have an understanding of why PHIMT was developed, are familiar with its capabilities and system requirements, and have a basic understanding of your role as a Regular User, you are ready to access the application.

To login to the PHIMT application:

1. Enter the URL for PHIMT into the Web browser, https://phimt.tricare.osd.mil.



- 2. Read the Notice and Terms of Use.
- 3. Click on the Accept button.



Log in using the User Name and temporary Password that has been assigned to you by your User Admin.

- 4. Type in User Name and Password.
- 5. Click on the Login button.



The first time you login you will be prompted to change your temporary password. Your new password must be 8 to 15 characters long and contain at least one of the following:

- Alphabetic uppercase character
- Alphabetical lower case character
- Arabic numeral (0,1,2,3,4)
- Non-alphanumeric special character (ex: !, @, #, \$, etc.)



After logging in, PHIMT will bring you to the Regular User tabs.

4.0 REGULAR USER TABS

After having logged into PHIMT, you will notice four Regular User tabs. Each tab contains hyperlinks that are used to perform various disclosure activities. The four tabs are:

- User
- Patient
- Requests
- Requester

4.1 User Tab

The User tab (shown below) contains all PHIMT user related information. It is designed to track all tasks that are assigned to you. The User tab allows you to perform "desk duties" such as updating your user profile information, viewing requests you have made, viewing your tasks, and switching your organization. As a Regular User in PHIMT you will have access to four hyperlinks on the User tab. The four hyperlinks include:


- My Profile
- My Requests
- My Worklist
- Switch Organizations



4.2 Patient Tab

The patient tab (shown below) provides the Regular User with patient specific activities. Information can be obtained by entering a particular patient name. To access the PHIMT database, you must first select a patient. The Patient tab allows you to perform patient related activities including performing the patient search and updating the patient's profile. These activities can be performed when accessed by the following hyperlinks:

- Patient Profile look at the profile of a particular patient with and edit patient information
- Patient Search look for a particular patient in the PHIMT database.




4.3 Requests Tab

The Requests tab (shown below) allows the Regular User to access information about the activities requested by an individual or an organization. Using this tab you can view patient related activities that have been requested by you or by another individual or organization, such as a disclosure (for a release of PHI) or disclosure accounting (process a justification for a disclosure). These activities can be performed when accessed by the following hyperlinks:

• Create New Request – initiate a request for a new disclosure activity.


• Search for Request – look for a particular request placed within your organization.



4.4 Requester Tab

The Requester tab allows the Regular User to access information about the individual or agency making a request for the disclosure. Using this tab you can view information about the requesting individual or organization. These activities can be performed when accessed by the following hyperlinks:

- Requester Summary view a synopsis of all requests you initiated
- Requester Requests view a listing of all requests you have made
- Requester Profile view information about the originator of the request
- Requester Search search for the originator of the request



5.0 UNDERSTANDING PHIMT SCREENS


Each tab of the PHIMT screens contains some basic information that will be helpful to you when performing the various activities.

5.1 Screen Features

There are many features to the PHIMT screens that you can use to navigate your way through the many disclosure activities you will perform. These features are discussed here.


5.1.1 Date

The date displays the current weekday, month, day, and year in the upper left corner of the screen.




5.1.2 Navigational Options

Navigational options, such as user search and logoff, provide directional hyperlinks that will help you to proceed through the PHIMT application. They are located in the upper right hand corner of the screen.



5.1.3 Status Box

The gray status box shows current information and is located in the upper left hand corner of all PHIMT screens. The box displays the current user, user information such as organization and assigned role, patient information, and information about what disclosure activity is currently being performed. This information is updated when making inputs for various activities.



5.1.4 Activity Hyperlinks

The activity hyperlinks are located under the status box, on the left hand side of the screen. This listing consists of hyperlinks for activities that can be performed while in a specific "tab." The hyperlinks may include: my worklist, patient profile, or authorization; depending on which tab you are using. Your user role will determine specific hyperlinks listed.

My Profile My Requests My Worklist Switch organizations

5.1.5 PHIMT Screen Tabs

PHIMT screen tabs are labels that are located at the top of the display screen. The tabs serve as file folders for different groupings of activities. The specific tabs will vary depending on what role you are assigned. Regular User tabs include: User, Patient, Requests, and Requester. Each tab allows for different activities.



5.1.6 Screen Title

The screen title is located directly under the tabs and above the display screen. This is the title of the particular screen being displayed (ex. user worklist, patient search results)



5.1.7 Display Screen/Application Window

The display screen/application window is the PHIMT users work area. These screens contain various fields in which to provide required information for proceeding through the PHIMT activities. To assist with data input, PHIMT provides text boxes, windows, calendar icons, and drop down menus. All features may not be on a particular user screen:

- Radio buttons Radio buttons appear as black dots to indicate selection. You can toggle the buttons between selected and not selected.
- *Check marks* Check marks are used to indicate a done or un-done status. You can toggle the marks between checked and unchecked.
- *Drop down menus* Drop down menus provide the user with a list of possible selections from which to choose. Clicking on a particular selection causes it to be selected and appear in the "window." You can change a selection by clicking the arrow on the menu box and then clicking on a different item.
- *Text boxes* Text boxes are empty fields in which you can provide information. At times, this data is requested as additional comments or for supplemental information.
- Calendar icons Calendar icons are provided to make it easier for you to input required dates. Date inputs are specific dates chosen by you to clarify time limits on various PHIMT activities. Choose a date by selecting the arrow in the date window. A calendar icon appears for easy inputs. Click on the desired date or use the arrows near the month and year headings to display a date not currently shown. The date you select will appear in the date window.
- Action buttons Action buttons are used to guide you through the PHIMT steps and processes. Click on these buttons to proceed through various activities. Examples of these buttons include: Next, Save, Create, and Update.

NOTE: These features will be discussed when they are used in an activity.

5.2 PHIMT Error Messages

PHIMT issues error messages when an entry or selection is not appropriate or complete. The message begins "Error(s) have occurred" and then follows with a bulleted list of the errors. For example, if you try to route an activity to someone who does not access to that information, or you are not authorized to route the information to that particular person, PHIMT will display a message that indicating that you do not have the authority to perform that task. If you have not provided information for all the required data fields, PHIMT will issue a message indicating that information is missing. Once the error has been corrected, you can proceed to the next step in the activity.

6.0 USER TAB ACTIVITIES

The User tab provides you with various hyperlinks that allow you to perform desk type duties such as accessing PHIMT user-related information, switching organizations, viewing past requests, and tracking tasks assigned to you. These hyperlinks include:

- My profile
- My requests
- My worklist
- Switch organizations

6.1 My Profile

<u>NOTE</u>: The My Profile hyperlink allows you to enter/update personal information and preference data.


To edit your profile:

- 1. Select the User Tab.
- 2. Click on the My Profile hyperlink.




3. Enter your updated information in the information fields.

Note: You may update your name, phone, email, password, signature block (ex. certification titles, educational titles), and add additional comments. You are not authorized to change the system ID or User ID, nor to access User Roles and Use- to-User Relationships.



- 4. Scroll down to the bottom of the screen.
- 5. Click on the Update button.




• Your new information will appear in the appropriate fields.

6.2 My Requests

<u>NOTE</u>: The My Requests hyperlink allows you to view the status of all requests that you have initiated.


To view your requests:

- 1. Select the User Tab.
- 2. Select the My Requests hyperlink.
- 3. Select the Request Session ID to view a specific request.



• A detailed summary of that particular request is displayed (as shown below).

<u>NOTE</u>: As a Regular User, you are not authorized to edit any information in the summary. However you can attach a document.



To attach a file to your request:

- 1. Click on the Attach button in the Letters and Attached Documents section.
- 2. Provide the document information.

3. Click on the Save button.



6.3 My Worklist

<u>NOTE</u>: The My Worklist hyperlink allows you to view all tasks currently assigned to you. This feature serves as an electronic inbox.

To view tasks on your worklist:

- 1. Select the User Tab
- 2. Select the My Worklist hyperlink.
- The Regular User can view and process all requests that have tasks currently assigned to them.

<u>NOTE</u>: To process a request, select that request and perform the action or route it for approval or denial.




6.4 Switch Organizations

<u>NOTE</u>: The Switch Organizations hyperlink allows you to change your primary status between organizations, if you are assigned to more than one organization.

To switch between organizations:

- 1. Select the User Tab.
- 2. Select the Switch Organizations hyperlink.




- 3. Select the new organization.
- 4. Click on the Select button.



7.0 PATIENT TAB ACTIVITIES

The Patient tab consists of various hyperlinks that allow you to perform patient specific activities such as request an authorization for a patient disclosure, edit a patient profile, and issue an accounting for a disclosure. These hyperlinks include:

- Patient Profile
- Patient search



<u>NOTE</u>: To access the PHIMT patient database, you must first select a patient record. All information is accessed by either the patient's FMP-SSSN or by the patient's name.

We will focus on three patient related activities:


- Patient Search
- Create Patients
- Create an Alternative Phone Number

7.1 Patient Search


<u>NOTE</u>: The Patient Search hyperlink allows you to look for a particular patient in the PHIMT database.

To search for a patient:

1. Select the Patient Tab.



- 2. Type in the Search Criteria (You can search for a patient by the Family Member Prefix (FMP) Sponsor's SSN or by the patient's name).
- 3. Click on the Search button.



• The Search Results screen will display.




7.2 ADD A PATIENT RECORD

If a patient does not exist in the PHIMT database, then the user must add a patient record. New patient records cannot be created without first searching the database. The Create a new patient record hyperlink allows you to enter information for a new patient into the PHIMT database.


To add a patient record:

1. Select the Patient Tab.

- 2. Type in the Search Criteria (You can search for a patient by the Family Member Prefix (FMP) Sponsor's SSN or by the patient's name).
- 3. Click on the Search button.




4. If no results matched your search, select the Create a New Patient Record hyperlink.




5. Enter the patient's information: (name, type, SSN, birth date, email, FMP-SSSN).

6. Click on the Save button.



- 7. Enter the Address Details (USA or International format).
- 8. Click on the Save button.






7.3 CREATE AN ALTERNATIVE PHONE NUMBER


Individuals have the right to request an alternative telephone number for receiving communications related to their PHI. An alternative telephone number can be created by Regular Users and Privacy Specialists.

To create an alternative telephone number:

- 1. Scroll to the bottom of the Patient Details screen.
- 2. Click on the New button next to Phone Numbers.




- The Phone Number Details screen will display (choose the USA or International format).
- 3. Type in the phone number and enter in any comments.
- 4. Click on the Save button.





• The phone number you added will appear on the Patient Details screen.



8.0 REQUESTS TAB ACTIVITIES

The Requests tab allows you to access information about the activities requested by an individual or an organization. Requests tab activities include:

- Record Disclosures Requests
- Record an Accounting of Disclosure Request.

8.1 Record a Disclosure Request

<u>NOTE</u>: The Record Disclosure hyperlink allows you to record or document the release of PHI. This activity consists of five disclosure steps.

Disclosure requests allow you to forward it to a Privacy Specialist for approval or denial. Disclosure status will be set to Pending because as a Regular User, you are not authorized to approve disclosures. Entering the requested action allows you to route the disclosure request to your own worklist for further research or route to a Privacy Specialist.


To record a request for disclosure:

1. Select the Requests Tab.

- 2. Click on the Disclosure Radio button.
- 3. Click on the Next button.



- 4. Type in the patient search criteria. (You can search for a patient by the patient's FMP-SSSN or by the patient's name).
- 5. Click on the Search button.




- 6. Select the radio button next to the patient's name.
- 7. Click on the Select button.




- 8. Select the Requester. (The Requester Search screen will appear).
- 9. Complete the information fields to search by patient, third party organization, person, or organization. (Only complete one field).
- 10. Select OK, Select, or Search (for that field)


 Example: If the request is being made by the patient themselves, click on the Search button next to the patient's name.




- 11. Confirm Requester and Recipient Details. Verify and/or complete the information fields.
- 12. Click on the Next button.




13. Enter in the Request Details: (details of the request, identity verification, and authority verification).




- 14. Scroll down the screen and enter: (Information start and end date, request format, and request classification).
- 15. Click on the Next button.



16. Enter in the Disclosure Details: (Disclosure type, status, disclosure date, treatment start and end date, origin organization, disclosure purpose).




- 17. Scroll down the screen and enter: (PHI description and disclosure comments).
- 18. Click on the Next button.



- 19. Enter in the Request Action Details.
- 20. From the Action drop-down box, select the appropriate routing option (Privacy Specialist).

21. Click on the Save button.



• The Disclosure Request Summary will display.




8.1.1 UPDATE PATIENT ADDRESS


For a disclosure to be valid, a patient's address must be entered. The Regular User can update the patient's address in the middle of a disclosure request.

To update the patient's address:


- 1. Select the Request Tab.
- 2. Select the Disclosure radio button.
- 3. Click on the Next button.




- 4. Type in the patient search criteria. (You can search for a patient by the patient's FMP-SSSN or by the patient's name).
- 5. Click on the Search button.




- If the patient does not have an address entered in the tool, "Primary Address not selected" will be listed next to the patient's name.
- 6. Select the patient.



- 7. Type in the patient's address.
- 8. Click on the Save button.



• After saving the address, you can continue with the Disclosure Request where you left off.



8.2 Record An Accounting of Disclosures Request

<u>NOTE</u>: The Disclosure Accounting hyperlink allows you to process a justification for a disclosure. This activity consists of four accounting of disclosure steps.

A Patient may ask for an accounting of disclosures at any time. PHIMT allows for a quick reporting of this information.

<u>NOTE</u>: Request Action allows you to route the request to your Privacy Specialist for approval or denial or to your own worklist if you need to research it further.


To record a request for an accounting of disclosures:

- 1. Select the Requests Tab.
- 2. Select the Create New Request hyperlink.
- 3. Click on the radio button for Disclosure Accounting.


4. Click on the Next button.




- 5. Search for the patient.
- 6. Click on the Search button.




7. Select the patient from the patient search results screen.




- 8. Select the current patient or organization displayed, OR complete the information fields to search by patient, third party organization, person, or organization. Only complete one field. (For instructional purposes, we will select the patient).
- 9. Select OK, Select, or Search (for that field).




- 10. Confirm the requester and recipient details. Verify that the information is correct and/or complete the information fields. (If changes are necessary, select Back, and make the changes).
- 11. Click on the Next button.



12. Enter the Request Details: (details of the request, identity verification, authority verification).




- 13. Scroll down the screen and enter: (Information start and end date, request format, and request classification).
- 14. Click on the Next button.




- 15. Enter in the Request Action details.
- 16. From the Action drop-down box, select the appropriate person to route the request to. (The Regular User would route the request to the Privacy Specialist or to their worklist).

17. Click on the Save button.



The Request Summary screen will display.

<u>NOTE</u>: The current disclosure accounting, appears in the status box.



9.0 REQUESTER TAB ACTIVITIES

The Requester tab (shown below) provides access to all PHIMT Requester data and allows you to access information about the individual or organization making the disclosure request. You must first identify an organization or individual as the requester. This can be accomplished on the Requester Search screen. The hyperlinks become active, on the Requester Summary screen, once a requester has been designated. Access to requester data is provided by these hyperlinks:

- Requester Summary
- Requester Requests
- Requester Profile
- Requester Search




9.1 Requester Search

<u>NOTE</u>: The Requester Search hyperlink allows you to search for a particular requester. (You are searching for a patient in the database).

To search for a particular requester:

- 1. Select the Requester Tab.
- 2. Select the Requester Search hyperlink.
- 3. Enter the person's name for the search.
- 4. Click on the Search button.



- 5. Select the patient from the Requester Search Results screen.
- 6. Click on the Select button.



• The Requester Summary screen will display. The Regular User can display reports and/or letters or access another hyperlink.



9.2 Requester Requests


<u>NOTE</u>: The Requester Requests screen displays the status of all requests that were generated by a particular patient or organization.

To view the status of requests:


- 1. Select the Requester Tab.
- 2. Select the Requester Search hyperlink.
- 3. Enter the person's name for the search.
- 4. Click on the Search button.
- 5. Select the patient from the Requester Search Results screen.
- 6. Click on the Select button.
- 7. The Requester Summary screen will display

<u>NOTE:</u> Steps 1-7 for Requester Requests are the same as those for Requester Search, 9.1. Refer to steps 1-7 in 9.1 for screen display information.

8. Select the Requester Requests hyperlink.



• The Requester Requests screen will display. All requests for that particular patient or organization and the status of those requests will be displayed. (Regular Users can view the status of a disclosure; however, they cannot view the details of the disclosure. They do not have access to the Request Session ID).



9.3 Requester Profile


<u>NOTE</u>: The Requester Profile hyperlink allows you to view information about the individual or organization making the request.

To edit the requester's profile:


- 1. Select the Requester Tab.
- 2. Select the Requester Search hyperlink.
- 3. Enter the person's name for the search.
- 4. Click on the Search button.
- 5. Select the patient from the Requester Search Results screen.
- 6. Click on the Select button.
- 7. The Requester Summary screen will display

<u>NOTE:</u> Steps 1-7 for Requester Profile are the same as those for Requester Search, 9.1. Refer to steps 1-7 in 9.1 for screen display information.

8. Select the Requester Profile hyperlink.



- 9. Enter the required information: name, requester type, social security number, birth date of the requester, and the FMP-SSSN. Use drop down menus where applicable. (The following fields are optional: email, alternate communication, comments, associated addresses, and phone numbers).
- 10. Click on the Update button.



9.4 Requester Summary

NOTE: The Requester Summary hyperlink allows you to display all the letters and reports that were requested.

To view a summary of all disclosure letters and reports:

- 1. Select the Requester Tab.
- 2. Select the Requester Search hyperlink.


- 3. Enter the person's name for the search.
- 4. Click on the Search button.
- 5. Select the patient from the Requester Search Results screen.
- 6. Click on the Select button.
- 7. The Requester Summary screen will display

<u>NOTE:</u> Steps 1-7 for Requester Profile are the same as those for Requester Search, 9.1. Refer to steps 1-7 in 9.1 for screen display information.

- 8. Select Letters or Reports (or both) by placing a check in the checkboxes.
- 9. Click on the Display button.



• A summary of all letters and reports of disclosures made by that requester will be displayed.



10.0 REGULAR USER GLOSSARY

To facilitate clarity the following terms will be used throughout the document and are defined as follows:

Action: Action is a PHIMT term for a specific activity that requires a response to a request.

Attach: Attach is a PHIMT option that allows the user to send documentation or files with a disclosure.

Authorization: Authorization is a hyperlink on the Patient tab that allows the user to process an approval for a disclosure.

Back: Back is a navigation button that allows the regular user to return to the previous screen.

Create: Create is a PHIMT option that allows the regular user to initiate a new activity.

Create new request: Create new request is a hyperlink on the Requests tab that allows the regular user to initiate a request for a new disclosure activity.

Disclosure: Disclosure is a hyperlink on the Requests tab that allows the regular user to forward a release of protected health information to the Privacy Specialist.

Disclosure Accounting: Disclosure accounting is a hyperlink on the Requests tab that allows the regular user to process a justification for a disclosure.

Disclosure Details: Disclosure details is a PHIMT term that refers to information about a specific release that the regular user can view on the patient summary screen.

Display: Display is a PHIMT option that allows the regular user to view various types of information about a particular patient or disclosure activity.

Generate Form: Generate form is a hyperlink on the Patient tab, that allows the regular user to create forms and letters for various disclosure activities and situations.

Logoff: Logoff is a hyperlink that allows the regular user to exit PHIMT.

Login: Login is the PHIMT opening screen that requires a User ID and password.

MTF: MTF is a PHIMT acronym for Military Treatment Facility.

My Profile: My Profile is a hyperlink on the User tab that allows the regular user to enter/update personal information and preference data.

My Requests: My Requests is a hyperlink on the User tab that allows regular users to view the status of all requests initiated by them.

My Worklist: My Worklist is a hyperlink on the User tab that serves as an electronic inbox. It allows regular users perform desktop duties such as viewing all tasks currently assigned to them.

Next: Next is a PHIMT navigation button that allows the regular user to proceed to the next step in an activity.

New: New is a PHIMT action button that allows the regular user to develop a new item patient, organization.

New Patient Record: New patient record is a hyperlink on the Patient Search Results screen that allows regular users to provide information about a new patient.

Organization: Organization is a PHIMT term used to refer to a Service or MTF.

Patient Profile: Patient profile is a hyperlink on the Patient tab that allows the regular user to create or edit patient information.

Patient Search: Hyperlink on the Patient tab that allows the regular user to look for a particular patient in the PHIMT database.

Patient Tab: Patient tab is a PHIMT tag or label that provides the user to patient specific activities.

PHI: PHI is an acronym for Protected Health Information.

PHIMT: PHIMT is an acronym for Protected Health Information Management Tool. PHIMT tracks disclosures of legally guarded information with regards to HIPAA compliance.

Regular User: Regular user is a PHIMT general role with basic functionality. This role can create disclosures and authorization requests that can be routed to a Privacy Specialist.

Request: Request is a PHIMT term that refers to the first step in initiating a disclosure activity.

Request Action: Request action is a PHIMT term that refers to a prompt for a specific performance (route to Privacy Specialist or route to your Worklist) to be taken on a disclosure.

Request Details: Request details is a PHIMT term that refers to allowing the regular user to view relevant information about a particular disclosure.

Requester: Requester is a PHIMT term that refers to the person making or issuing the disclosure activity.

Requester Profile: Requester profile is a hyperlink on the Requester tab that allows the regular user to view information about the individual or organization making the request.

Requester Summary: Requester summary is a hyperlink on the Requester tab that allows the regular user to view a brief of all requests initiated by an individual or organization.

Requester Requests: Requester requests is a hyperlink on the Requester tab that allows regular users to view a listing of all requests that were made by an individual or an organization.

Requester Tab: Requester tab is PHIMT term that refers to a tag or label that allows the regular user to access information about the individual or agency making a request for a disclosure.

Requests Tab: Requests tab is a PHIMT term that refers to a tag or label that allows the regular user to access information about the activities that have been requested by an individual or organization.

Restriction: Restriction is a PHIMT term that refers to a constraint put upon a particular disclosure activity. The constraint could refer to denying access to a particular individual or a particular time frame.

Routing: Routing is a PHIMT term that refers to the forwarding of an approval for the disclosure request to your worklist for later action, or to another individual. For example, a Regular User may forward the approval request to a Privacy Specialist.

Save: Save is an action button that allows regular users to save data entries, information, and procedures.

Search: Search is an action button that allows regular users to search for a particular individual or activity.

Search for Request: Search for request is a hyperlink on the Requests tab that allows the regular user to look for a particular request made by that person.

Select: Select is an action button that allows regular users to select a particular patient or activity.

Status Box: Status box is a PHIMT term that refers to a gray box in the upper left corner of all screens. This box displays the current information for a patient or activity; depending on actions being performed.

Summary: Summary is a hyperlink on the Patient tab that allows regular users to view a brief of all disclosure activities for a particular patient.

Summary Item Filter: Summary Item Filter is a feature accessed on the Patient Summary screen. This feature allows the regular user to display a synopsis on disclosures, suspensions, restrictions, reports, letters, and complaints.

Suspension: Suspension is a PHIMT term that refers to the act of delaying a disclosure or putting it on hold temporarily.

Switch Organizations: Switch Organizations is a hyperlink on the User tab that allows regular users, who are assigned to more than one organization to switch between their organizations. This allows them to change their primary status in an organization.

TMA: TMA is an acronym for Tricare Management Activity.

Update: Update is an action button that allows regular users to update information or perform additional activities.

User Role: User role is a PHIMT term that refers to a named collection of permissions. A role allows users with the same permissions to be grouped under a unique name such as: Regular User, User Admin, or Privacy Specialist. The MTF Privacy Officer usually determines the appropriate role.

User Tab: The User tab is a tag or label that allows the regular user to access all PHIMT user related information. This tab is designed to track all tasks that are assigned to you.

11.0 PHIMT REGULAR USER ROLE PERMISSIONS

PHIMT REGULAR USER PERMISSIONS	
PHIMT Regular User Tab	Enabled Permissions
Logon/Logoff	Both
Patient Tab	Create patient
	Generate form
	Generate letter
	Patient authorization
	Patient profile
	Patient search
	Patient summary
	Patient workflow
	View disclosure
User Tab	Change password
	Switch to other organizations
	Update address
	User profile
	User workflow
	User worklist
	Workflow activity
	Workflow request
	Workflows tab
Admin Tab	None (can attach file as part of another activity)
Requests Tab	Disclosure accounting
	Disclosure request
	Edit request: complete PHI retrieval
	Edit request: route to other user
	New request: route to Information Officer, Privacy Specialist,
	Other User, My Worklist
Requester Tab	Requester profile
	Requester summary
	Requester search
	Requester workflow